

# Cerrejón and CMC Presentation to Customers

Colombian National Mining Agency Business Roundtable March 2021



1976 - 1980		1981 - 1990	1991 - 1994	1995 - 1996	1997 - 1998	1999 -	2001	2002 - 2006	2006 - 2013	From 2013
North Zone	ExxonMobil 50% Carbocol 50%							8 Grrejón	8 Grrejón	8 Grrejón
South & Central Zones	COMUNIDAD	Domi- Prodeco - Auxini	Prodeco	Glencore	Glencore 50% Anglo 50%	GLENCORE 33.3% GLENCORE ANGLO & 33.3% BILLITON 33.3% (33.3%)	Anglo 33% BHPB 33%	Anglo 33% BHPB 33% Xstrata 33%	Anglo 33% BHP 33%	
	OREGANAL		CARBONES DEL CARIBE	<b>Β</b> ΙΟ ΤΙΝΤΟ		33.3% Billiton 33.3%	Glencore 33%	ASTRAIA 33%	Glencore 33%	

### Integrated mine-rail-port complex





### **Location of Cerrejón operations**





# The mine











# The Cerrejón deposit



### <u>Location</u>

 Narrow basin bounded by Sierra Nevada and Perijá Mountains

### **Coal bearing formation**


• 50 to 60 minable seams ranging from 0.6m to 8.0m thickness, with an average of around 3.4m

#### <u>Structure</u>

- Average dip 16°
- Reverse and normal faults


#### **Resources**

- Total resources of about 4.9 billion tonnes to a depth of 300 m
- Stripping ratio approximately 7:1




# Mining and coal handling process





### **Puerto Bolívar**





- Train Unloading Station: 7,700 mt/h
- Coal Stockpiles: 4 stockpiles 610 kt capacity
- Three Stackers/Reclaimers: Stacking capacity 7,900 mt/h; Reclaiming capacity 5,500 mt/h
- Two Ship Loaders:
  - SL1: 6,000 mt/h (average); 11,000 mt/h (maximum)
  - SL2&3: 4,000 mt/h (average); 6,000 mt/h (maximum)
- Capable of loading vessels from 20kt to 180kt

# **Quality control**



- Sampling and analysis at the mining fronts helps ensure the right coal is sent to the silos
- Rapid laboratory analysis, conducted both at the mine (train loading at the silos), and at the port during vessel loading, allows constant monitoring and control of quality loaded to ensure contractual specifications are met.

- Sampling System:
  - Thermo-Ramsey mechanical coal sampling system
  - Independently operated in accordance with ISO and ASTM standards
  - Designed for a maximum ship loading rate of 11,000 mt/h
- Weight determination and final sampling and analysis certification is done by the independent inspection company at the port.




As received basis	Cerrejón D	Cerrejón Dm	Cerrejón E	
Gross CV, Btu/lb	11,300	11,000	10,600	
Gross CV, kcal/kg	6,278	6,111	5,889	
Net CV, kcal/kg	5,976	5,811	5,592	
Total Moisture, %	12.8	13.4	14.2	
Ash, %	9	10	11.6	
Volatile Matter, %	33.34	32.83	32.24	
Sulphur, %	0.6	0.6	0.64	
HGI	51	51	52	
AFT-ID (red), °C	1,210	1,210	1,210	
Sizing	0x50mm	0x50mm	0x50mm	

\* Typical values




 CMC is the exclusive marketer of steam coal from the Cerrejón mining complex in Colombia



Office in Dublin, Ireland

# Cerrejón exports by region






#### Cerrejón Exports

# **Colombian exports**






Colombian exports by producer

 Exports from Colombia expected to plateau just above 60 million mtpa after recovering from the drop in 2020

# **Colombian exports**





#### Colombian exports by region

• Since 2016, Colombian coal has made its way into the Pacific market on a regular basis



- Cerrejón management and shareholders alike are committed to working towards a sustainable La Guajira
- We actively seek to minimize the impact of our operations: we work with local communities on sociallyinclusive projects to improve access to water, healthcare, education and livelihoods in neighbouring areas
- We follow IFC and World Bank Guidelines on Resettlements and have experts working directly with communities
- We undertake all our operational activities with respect, integrity and transparency; this principle is at the core of everything we do

# We deliver value to our customers

- CMC Coal Marketing
- Among Colombian producers, Cerrejón is the only company with a fullyintegrated operation, owning 100% of the mine, railway and port facilities. This provides flexibility to react promptly to customers' needs and changing schedules
- Through our history, we have managed a wide variety of contractual structures, ranging from spot to 19-year contracts, implementing diverse pricing schemes (fixed and index-linked)
- CMC and Cerrejón work together to deliver complete customer satisfaction. Through teamwork across all departments and geographical locations, we provide full and seamless customer support
- We have long-standing relationships with almost all of the main steam coal importers in Europe, the Americas and the Mediterranean, in some cases dating from the mid-80's
- In Asia, we have supplied to major companies such as the Korean GENCOs, Japanese Power Utilities, FPG, JSW, CGPL, Tata Power



- Colombian exports to Asia market are expected to become a permanent feature of the Pacific market for the foreseeable future
- With our consistently high-quality coal and fully integrated mining and transportation system (minerailroad-port), we meet all our customers' requirements
- Due to this, we have achieved world-class results and a competitive positioning in the international steam coal market





### **Responsible Mining**



www.cerrejon.com